



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Photosynthesis by carotin.—KOHLE²³ shows by new experiments that the secondary maximum in the curve of photosynthesis, as drawn by ENGELMANN, is due to carotin. He eliminates the possible error in this determination (made by an improvement of the bacterial method), showing that the bacteria are in no wise affected by the F-rays alone. But when algae are illuminated only by rays absorbed by carotin, the movement of the bacteria begins, indicating evolution of O₂. He also shows that though O₂ is necessary to the formation of chlorophyll, etiolated leaves may become green in an O-free chamber, provided CO₂ is not in excess, since they can use the O₂ set free in photosynthesis. Of etiolin KOHL can find no trace, and he holds it certain that neither carotin nor xanthophyll (the latter probably a transformation product of the former) can be antecedents of chlorophyll. Whatever gives rise to it is probably colorless.—C. R. B.

Poisonous Colorado plants.—GLOVER²⁴ reports the results of studies of larkspur and other poisonous plants in Colorado. Of the eighteen species of *Delphinium* found in Colorado the most serious pests in this connection are *D. elongatum* and *D. Nelsonii*. He finds that the larkspur gradually becomes less and less toxic as it approaches the flowering period and finally becomes entirely harmless. The toxic principle has not yet been determined for these species, but is probably delphinine and some other related alkaloids. Other poisonous plants mentioned are species of *Zygadenus*, *Cicuta*, *Lupinus*, and *Hymenoxys*. The last plant is not strictly poisonous, but forms after being eaten a rubbery mass that may prove injurious. The bulletin contains a useful bibliography of the literature of plants poisonous to cattle on the range.—E. MEAD WILCOX.

Ecology in the Philippines.—It is a matter of no small interest to receive the first extended ecological study of a region of the Philippines. WHITFORD'S²⁵ account of the vegetation of the Lamao forest reserve introduces us to a tropical region, where the details of plant ecology are new and fascinating, and where the problems must be peculiarly complex. The Lamao forest reserve is in the province of Bataan (Luzon), on the east slope of a group of volcanic peaks known as Mount Mariveles. After the introductory statements as to geology and physiography, climate, and soil, the vegetation is discussed at length under six formations: Strand, Bambusa-Parkia, Anisoptera-Strombosia, Dipterocarpus-Shorea, Shorea-Plectronia, and Eugenia-Vaccinium. The half-tone plates are numerous and present most interesting views of tropical vegetation.—J. M. C.

²³ KOHL, F. G., Die assimilatorische Funktion des Karotins. Ber. Deutsch. Bot. Gesells. 24:222-229. 1906.

²⁴ GLOVER, G. H., Larkspur and other poisonous plants. Bull. Col. Exp. Sta. 113:1-24. pls. 1-8. 1906.

²⁵ WHITFORD, H. N., The vegetation of the Lamao forest reserve. Philippine Jour. Sci. 1:373-431, 637-679. map and pls. 1-45. 1906.